		1/0
, -	Application No.	Applicant(s)
Notice of Allowability	10/748,567	SOMERS ET AL.
	Examiner	Art Unit
	James Sells	1734
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment and disclaimer filed 12-3-04.		
2. The allowed claim(s) is/are <u>1-20</u> .		
3. X The drawings filed on <u>04 June 2004</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date Paper No./Mail Date Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Summary Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendr	tè <u>02142005</u> .

Application/Control Number: 10/748,567

Art Unit: 1734

DETAILED ACTION

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. William Huebsch (25,990) on Feb. 11, 2005.

In the specification:

Page 9, line 29, change "roller 35" to - roller 34 --.

Page 9, line 30, change "roller 35" to - roller 34 --.

In the claims:

Claim 1, page 16, line 1, change "the second plane" to – the adjacent second plane --.

Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance:

Regarding claims 1 and 10, in a device manually used to apply tape along a surface, the prior art does not teach or make obvious the concept of the arcuate peripheral surface on the end portion of the pressure application structure being

Page 3

Application/Control Number: 10/748,567

Art Unit: 1734

disposed at an angle of no greater than 90 degrees with respect to the adjacent second

plane and projecting from the housing when the pressure application structure is pivoted

to the maximum angle to move the end portion of the pressure application structure

toward a top side of the housing portion opposite the guide surface in the manner

claimed by the applicant.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Telephone/Fax

3. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to James Sells whose telephone number is (571) 272-

1237. The examiner can normally be reached on Monday-Friday between 9:30 AM and

6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Chris Fiorilla can be reached at (571) 272-1187. The fax phone number for

the organization where this application or proceeding is assigned is (703) 872-9306.

PRIMARY EXAMINER

TECH. CENTER 1700